AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method for generating an authentication rating for an entity, comprising:

receiving a message identifying an entity, which message requires authentication of said entity;

receiving data from each of a plurality of sources, said data representing at least a rating for said authentication according to a criteria;

analysing said received data using a set of predefined fuzzy inferencing rules so as to calculate an authentication rating for said entity; entity

said plurality of sources including a local store arranged in operation to store
previous authentication ratings for a plurality of entities, and said analysis step involving
combining previous authentication ratings for said entity with one or more current
authentication ratings for said entity.

2. (Original) A method according to claim 1, wherein said data from each source comprise data representing a trust rating for said entity and data representing an associated confidence rating.

 (Original) A method according to claim 2, wherein the analysis comprises: combining said plurality of data representing a trust rating using a first predefined set of fuzzy inferencing rules so as to calculate a combined trust rating;

combining said plurality of confidence rating data using a second predefined set of fuzzy inferencing rules to calculate a combined confidence rating;

and then analysing said combined trust rating and said combined confidence rating using a third predefined set of fuzzy inferencing rules so as to calculate said authentication rating.

Claim 4 (Canceled).

5. (Currently Amended) A system for generating an authentication rating for an entity, comprising:

receiving means for receiving a message identifying an entity, which message requires identification of said entity;

the receiving means being further arranged to receive in use from each of a plurality of sources data representing a rating of said entity according to a criteria; and processing means arranged in use to analyse said received data using a set of predefined fuzzy inferencing rules so as to calculate an authentication rating for said entity; entity.

said plurality of sources including a local store arranged in operation to store previous authentication ratings for a plurality of entities, and said processing means being arranged to calculate an authentication rating for said entity by combining

GHANEA-HERCOCK Appl. No. 10/572,810 November 14, 2008

previous authentication ratings for said entity with one or more current authentication ratings for said entity.

- 6. (Currently Amended) A system according to claim 5, said processing means being further arranged to compare said authentication rating with a predefined policy so as to determine whether to <u>issue</u> issue. an authenticate <u>signal</u>.
- 7. (Currently Amended) A <u>computer readable storage medium containing a</u> computer program or suite of programs executable by a computer system to cause the system to perform the method of claim 1.

Claims 8 and 9 (Canceled).

- 10. (New) A computer readable storage medium containing a computer program or suite of programs executable by a computer system to cause the system to perform the method of claim 2.
- 11. (New) A computer readable storage medium containing a computer program or suite of programs executable by a computer system to cause the system to perform the method of claim 3.